

Band, DJ, Stage, Concert, EQUIPMENT (135 USD)



Location **Indiana**
<https://www.genclassifieds.com/x-397313-z>

Stagg Phantom power supply (1 mic) PCO-SH

Product Description and Features











Stagg PCO-SH Phantom power supply (1 mic) - ZM1695-1

Power supply unit for a single condenser microphone. Rugged metal box with on/off switch XLR in/out. Includes mains cable.

\$50.00

2 Gem Sound GMW61 Dual Wireless Microphones AB (MICS ONLY)

The Gem Sound GMW61 is an affordable dual channel wireless microphone system featuring VHF high band operation (160-216MHz) and a super heterodyne receiver to ensure good performance in karaoke and presentation situations. Microphones operate on a standard 9V battery that provides up to eight hours of operation. Four frequencies available. Select frequency from dropdown menu (AB/CD/EF/GH).

 <div>Band, DJ, Stage, Concert, EQUIPMENT</div> https://www.genclassifieds.com/x-397313-z	 <div>Band, DJ, Stage, Concert, EQUIPMENT</div> https://www.genclassifieds.com/x-397313-z	 <div>Band, DJ, Stage, Concert, EQUIPMENT</div> https://www.genclassifieds.com/x-397313-z	 <div>Band, DJ, Stage, Concert, EQUIPMENT</div> https://www.genclassifieds.com/x-397313-z	<p>Frequency List:</p>  <div>Band, DJ, Stage, Concert, EQUIPMENT</div> https://www.genclassifieds.com/x-397313-z	 <div>Band, DJ, Stage, Concert, EQUIPMENT</div> https://www.genclassifieds.com/x-397313-z	 <div>Band, DJ, Stage, Concert, EQUIPMENT</div> https://www.genclassifieds.com/x-397313-z	 <div>Band, DJ, Stage, Concert, EQUIPMENT</div> https://www.genclassifieds.com/x-397313-z	 <div>Band, DJ, Stage, Concert, EQUIPMENT</div> https://www.genclassifieds.com/x-397313-z	 <div>Band, DJ, Stage, Concert, EQUIPMENT</div> https://www.genclassifieds.com/x-397313-z
---	--	--	--	--	--	--	--	--	--

BA15 Vocal / Instrument Microphone

Cardioid pickup pattern.
Dynamic moving coil type.
Rugged die cast zinc body.
Durable All Steel Windscreen
Convenient ON/OFF switch.
Internal Shock Mounted to Reduce Handling Noise
Smooth frequency response and uniform off axis rejection helps reduce annoying feedback problems.
Powerful Neodymium magnet structure for a hotter output level.
Retail Price - \$111.90

Specifications

Frequency Response: 55Hz to 14kHz
Sensitivity: -56 dBm
Output Impedance: 500 ohms

\$45.00

PEAVEY S/S Guitar Cable

Overview

Item #: 00064830

20 ft. S/S guitar cable

Features

- 21 AWG Shielded instrument cable
- Triple strain relief at each end
- Graduated relief design (mechanical stress reduction)
- Neutrik® 1/4 inch straight phone plug on each end
- 20 ft. length
- Weight Unpacked: 0.76 lb(0.344 kg)
- Weight Packed: 0.76 lb(0.344 kg)
- Width Packed: 4.5"(11.43 cm)
- Height Packed: 13.5"(34.29 cm)

â€¢Depth Packed: 1"(2.54 cm)

\$25.00

2 XLR Microphone Cables - 20FT

SKU: 10822-XLR/20

Microphone Cable XLR Male to XLR Female. Professional Low Noise.

\$25.00 for both

will sell separate or \$115.00 takes it all or Trade... let me know what you!!