


TIRE CHANGER AND AUTO



Location **Massachusetts**
<https://www.genclassifieds.com/x-769631-z>

QR Code Link to This Post PHOENIX WHEEL BALANCER AND TIRE CHANGER COMBO! YOU GETÂ BOTH MACHINES FOR ONE LOW PRICE PLUS FREE SHIPPING AND NO SALES TAX!!!!!!1-Year Parts Warranty on Both Units Â Â Â Â CALL 603-234-2612 FOR ALL YOUR GARAGE EQUIPMENT NEEDSÂ nhproequip.comPhoenix manufactures high quality wheel service equipment at very competetive pricing. Have a look inside a Phoenix tire changer and you will see components such as metal air valves (rather than plastic), a bead breaker cylinder built to last with 5500 lbs of force, a motor and transmission that run smooth without vibration that transfer plenty of power to handle even larger wheels, such as Ford F350.

Foot control pedals operate metal air control valves structured for long trouble-free operation, unlike many higher priced products that use plastic valving but charge a premium price, perform no better, and do not last. Comparing Phoenix equipment with the big names you will learn Phoenix offers the same quality at a lower price (no big food chain to feed). We also offer better service; when you call, we answer. You wonâ€™t need to leave a message or pay ridiculous prices for replacement parts. The top of the tire machine uses a large turntable (26â€³ or 28â€³), thick and rugged to handle large wheels. Behind the wheel clamps there are air jets, the part of the bead blaster which assists in seating the bead for mounting tires. The air supply tank is housed in the upright tower, eliminating the need for an exterior tank. The adjustable air regulator and water trap is mounted beside the automatic oiler, which is necessary to keep the machine lubricated â€” where there is compressed air, there is often moisture. The oiler drips oil into the machine each time you use a foot pedal function, spreading lubricant throughout the system and limiting wear on parts. It is easy to fill: just spin off the reservoir, on and off in a minute. Strong large cylinders under the turntable move the rim clamps in and out and provide a solid grip on wheels. Of course, the steel duck head â€” which removes and installs the tire on the wheel â€” is lined with plastic inserts to protect against damage to wheels. Â **Included as a standard piece is an all plastic duck head you can install when working with high end wheels which are fragile. Other brands charge for this as an option, usually \$70-\$100.00.Â PHOENIX PWB1530A WHEEL BALANCER FEATURES: Phoenix PWB1530A Wheel Balancer is a 110v 60 hz motorized digital wheel balancer with auto entry for distance and diameter setting. It is capable of balancing of steel and aluminum wheels as well as motorcycle wheels with optional adapter. 3 Aluminum Modes allow weight placement to avoid interference with brake and steering parts. Auto Entry (Distance and Diameter) Self Calibration

 <p>Quick Switch - Grams to Ounces Food And Nutrition Start Dynamic Mode Quick Release Nut Alum Motorcycle Mode - Optional Accessories</p> <p>OPT Fine Auto Brake **LARGE CONE AND SPACER INCLUDED WILL HANDLE UP TO 7 1/8â€• CENTER HOLE WHEELS SUCH AS F350. OTHER BRANDS CHARGE \$300.00 OR MORE FOR THIS.** Â Â SPECIFICATIONS: Motor Power: 110V / 60 Hz Max Wheel Weight: 154 lb Rim Width: 1.5 - 20"</p> <p>https://www.genclassifieds.com/x-769631-z</p> <p>TIRE CHANGER AND AUTO</p>	 <p>https://www.genclassifieds.com/x-769631-z</p> <p>TIRE CHANGER AND AUTO</p>	 <p>https://www.genclassifieds.com/x-769631-z</p> <p>TIRE CHANGER AND AUTO</p>	 <p>https://www.genclassifieds.com/x-769631-z</p> <p>TIRE CHANGER AND AUTO</p>	 <p>https://www.genclassifieds.com/x-769631-z</p> <p>TIRE CHANGER AND AUTO</p>	 <p>https://www.genclassifieds.com/x-769631-z</p> <p>TIRE CHANGER AND AUTO</p>	 <p>https://www.genclassifieds.com/x-769631-z</p> <p>TIRE CHANGER AND AUTO</p>	 <p>https://www.genclassifieds.com/x-769631-z</p> <p>TIRE CHANGER AND AUTO</p>	 <p>https://www.genclassifieds.com/x-769631-z</p> <p>TIRE CHANGER AND AUTO</p>	 <p>https://www.genclassifieds.com/x-769631-z</p> <p>TIRE CHANGER AND AUTO</p>
--	---	---	--	---	---	---	---	---	---

Rim Diameter: 10 - 24"

Balancing Accuracy: +/- 1 g

Balancing Time: 6 - 9s ^ ^ INCLUDES: 4 Cones

1 3/4" - 2 5/8"

2 5/8" - 3 5/8"

3 1/16" - 4 5/8"

4 9/16" - 7 1/8" for larger wheel centers such as Ford F350. This cone and spacer below normally a \$250.00 option

Spacer for larger pickup wheels such as F350

Quick Release Wing Nut

Wheel Weight Pliers

Small and Large Hub

Wheel Calipers

Calibration Weight

Display standard/metric

Storage Pegs for Cone Set ^ PHOENIX PWC2710 TIRE CHANGER FEATURES: **Includes an all plastic duck head for installing when working with fragile, high end wheels --normally an option with other suppliers

All metal air valving throughout machine

Easy fill oiler, limits wear on internal parts

Air filter/quick drain water trap with adjustable regulator

Heavy duty no flex 26" turntable, 110 volt electric power for forward and reverse, air power for clamping

Self Centering Clamp with stepping function

Quick Inflation Device for tubeless tire (bead blaster)

Precise inflate / deflate air gauge and hose

Rubber Padded Mount/Demount Tool (duckhead)

Includes reservoir for rubber lubricant

Includes plastic protectors for turntable clamps

Optional adapter for motorcycle

Angle of duckhead can be adjusted ^ SPECIFICATIONS: Power Supply: 110V

Motor Power: 1.5 Hp

Air Supply: 0.6 - 1.0 mpa

Rim Clamping Range: 12 - 24" outside 13 - 26" inside

Bead Breaker Force: 5500 lbs

Max Wheel Diameter: 43"

Max Wheel Width: 15"

Shipping Weight: 680 lbs CALL US TO DAY AT 603-234-2612 FOR ALL YOUR GARAGE EQUIPMENT NEEDS ^ PHOENIX - COMBOS Phoenix

PWC2710/PWB1530A Tire Changer Wheel Balancer Set

<https://www.nhproequip.com/1530a2710-tire-changer-wheel-balancer-combo> Priced at \$1,995. Wheel balancer includes: 4 cones (1 3/4" - 2 5/8", 2 5/8" - 3 5/8", 3 1/16" - 4 5/8", and 4 9/16" - 7 1/8" for larger wheel centers such as Ford F350, spacer for larger pickup wheels, quick release wing nut, wheel weight pliers, small and large hub, wheel calipers, calibration weight, display standard/metric, storage pegs for cone set.

Tire Changer includes 26" turntable, ^ all plastic duck head for installing when working with fragile, high end wheels plastic protectors for turntable clamps, quick inflation

device for tubeless tire, and rubber padded mount/demount tool. THIS UNIT INCLUDES FREE SHIPPING Phoenix PWC2950/PWB1530A Tire Changer Wheel Balancer Set

<https://www.nhproequip.com/phoenix-pwb1530pwc2950-tire-changer-wheel-balancer-combo-2> Priced at \$2,195. Wheel balancer includes: 4 cones (1 3/4" - 2 5/8", 2 5/8" - 3 5/8", 3 1/16" - 4 5/8", and 4 9/16" - 7 1/8" for larger wheel centers such as Ford F350, spacer for larger pickup wheels, quick release wing nut, wheel weight pliers, small and large hub, wheel calipers, calibration weight, display standard/metric, storage pegs for cone set.

Tire Changer includes 28" turntable, all plastic duck head for installing when working with fragile, high end wheels plastic protectors for turntable clamps, quick inflation device for tubeless tire, and rubber padded mount/demount tool. THIS UNIT INCLUDES FREE SHIPPING Phoenix PWC2950A/PWB1530A Tire Changer w/Helper Arm + Wheel Balancer Set

<https://www.nhproequip.com/phoenix-pwb1530pwc2950a-tire-changer-wheel-balancer-combo> Priced at \$2,650. Wheel balancer includes: 4 cones (1 3/4" - 2 5/8", 2 5/8" - 3 5/8", 3 1/16" - 4 5/8", and 4 9/16" - 7 1/8" for larger wheel centers such as Ford F350, spacer for larger pickup wheels, quick release wing nut, wheel weight pliers, small and large hub, wheel calipers, calibration weight, display standard/metric, storage pegs for cone set.

Tire Changer includes 28" turntable, helper arm, all plastic duck head for installing when working with fragile, high end wheels plastic protectors for turntable clamps, quick inflation device for tubeless tire, and rubber padded mount/demount tool. THIS UNIT INCLUDES FREE SHIPPING Phoenix PWC2900A/PWB1530A Tilt Back Tire Changer w/Assist Arm + Wheel Balancer Set

<https://www.nhproequip.com/phoenix-pwb1530apwc2900a-tire-changer-wheel-balancer-combo> Priced at \$2,495. Wheel balancer includes: 4 cones (1 3/4" - 2 5/8", 2 5/8" - 3 5/8", 3 1/16" - 4 5/8", and 4 9/16" - 7 1/8" for larger wheel centers such as Ford F350, spacer for larger pickup wheels, quick release wing nut, wheel weight pliers, small and large hub, wheel calipers, calibration weight, display standard/metric, storage pegs for cone set.

Tire Changer includes 26" turntable, assist arm, tilting column with pneumatic locking system, all plastic duck head for installing when working with fragile, high end wheels plastic protectors for turntable clamps, quick inflation device for tubeless tire, and rubber padded mount/demount tool. THIS UNIT INCLUDES FREE SHIPPING PHOENIX - INDIVIDUAL UNITS Phoenix PWB1530A Wheel Balancer

<https://www.nhproequip.com/phoenix-pwb1530a-wheel-balancer> Priced at \$1,095, this Wheel Balancer includes 4 cones (1 3/4" - 2 5/8", 2 5/8" - 3 5/8", 3 1/16" - 4 5/8", and 4 9/16" - 7 1/8") for larger wheel centers such as Ford F350, spacer for larger pickup wheels, quick release wing nut, wheel weight pliers, small and large hub, wheel calipers, calibration weight, display standard/metric, storage pegs for cone set. THIS UNIT INCLUDES FREE SHIPPING Phoenix PWC2710 Tire Changer

<https://www.nhproequip.com/phoenix-pwc2710-tire-changer> Priced at \$1,195, this Tire Changer includes 26" turntable, all plastic duck head for installing when working with fragile, high end wheels plastic protectors for turntable clamps, quick inflation device for tubeless tire, and rubber padded mount/demount tool. THIS UNIT INCLUDES FREE SHIPPING Phoenix PWC2950 Tire Change

<https://www.nhproequip.com/phoenix-pwc-2950-tire-changer> Priced at \$1,250, this Tire Changer includes 28" turntable, all plastic duck head for installing when working with fragile, high end wheels plastic protectors for turntable clamps, quick inflation device for tubeless tire, and rubber padded mount/demount tool. THIS UNIT INCLUDES FREE SHIPPING Phoenix PWC2950A Tire Changer

<https://www.nhproequip.com/phoenix-pwc2950a-tire-changer-2> Priced at \$1,815, this Tire Changer includes 28" turntable, helper arm, all plastic duck head for installing when working with fragile, high end wheels plastic protectors for turntable clamps, quick inflation device for tubeless tire, and rubber padded mount/demount tool. THIS UNIT INCLUDES FREE SHIPPING Phoenix PWC2900A Tire Changer

<https://www.nhproequip.com/phoenix-pwc-2900a-tilt-back-tire-changer> Priced at \$1,750 this Tire Changer includes 26" turntable, assist arm, tilting column with pneumatic locking system, all plastic duck head for installing when working with fragile, high end wheels plastic protectors for turntable clamps, quick inflation device for tubeless tire, and rubber padded mount/demount tool. THIS UNIT INCLUDES FREE SHIPPING tire changer, tire changing, tire changer for sale, tire equipment, tire changer sale, tire changer free shipping, tire changing machine, tire changer for sale, tire changer combo, tire changer set, tire changer with helper arm, tire changer with assist arm, tire changer with press arm, tire machine for sale, tire machine, tire changer for run flat tires, tire balancer and changer, tire changer and balancer, tire changer for performance tires, tire tools, tire wheel balancer, tire changer combo, tire changer for aluminum wheels, tire changer reviews, tire changer clamps, tire changer parts, tire changer duck head, tire changer service, tire changer accessories, wheel balancer, wheel balancer service, wheel balancer repair, wheel balancer parts, tire balancer, tire balancer accessories, tire balancer parts, tire balancer, tire balancing, tire wheel balancer, tire balancer and changer, wheel balancer set, wheel

balancer combo, wheel balancer adapter, wheel balancer for sale, wheel balancer sale, wheel balancer machine, wheel balancer review, wheel balancer free shipping, used wheel balancer, used tire changer,. used tire machine, Coats, Snap-On, MAC, used lift, Accu-turn, Ranger, Corghi, Cemb, used shopÂ